

CARBOHYDRATE RESEARCH, VOL. 195 (1989/1990)

AUTHOR INDEX

- ABBES, O., 187
 ACQUOTTI, D., 51
 AZUMA, I., 59

 BAER, H. H., 225
 BOSSENNEC, V., 157
 BRUGGHE, H. F., c1
 BRUZIK, K. S., 67

 CARLSON, R. W., 101
 CASU, B., 157
 CHOAY, J., 157, 169
 COX, A. D., 123, 295

 DIMITRIJEVICH, S. D., 247
 DONG, X., 39

 ENDO, T., 273

 FERRO, D. R., 157, 169
 FRONZA, G., 51

 GARCI, F., 101
 GILLIER-PANDRAUD, H., 187
 GOODWIN, J. C., 150
 GRACY, R. W., 247

 HASEGAWA, A., 59, 134
 HERNÁNDEZ MATEO, F., 225
 HIROMI, K., 138
 HOLLINGSWORTH, R., 101

 IMAI, Y., 59
 IRIE, M., 273
 ISHIDA, H., 59
 ITO, Y., 199

 KAMERLING, J. P., 75
 KARTHA, K. P. R., 134
 KATOH, H., 273
 KING, S. E., 87
 KIRSCHNER, G., 51
 KISO, M., 59, 134
 KOBATA, A., 273
 KOCHETKOV, N. K., 11, 27

 LAY, H., 145
 LEHMANN, J., 145
 LINSKY, C. B., 247
 LIPKIND, G. M., 11, 27
 LONGCHAMBON, F., 187

 MAAS, A. A., 75
 MARRA, A., 39, 303
 MILER-SRENGER, E., 1
 MORI, M., 199
 MURASE, T., 134

 NECHAEV, O. A., 11, 27
 NEUMAN, A., 187
 NIEMELÄ, K., 131
 NOEL, D., 101

 OGAWA, T., 199
 OHGI, K., 273
 OHNISHI, M., 138
 OLSEN, C., 247
 OXLEY, D., 111, 117

 PÉREZ, S., 187
 PERLY, B., 157, 169
 PETITOU, M., 39, 157, 169
 PROVASOLI, A., 157

 RAGAZZI, M., 157, 169
 RAVINDRANATHAN KARTHA, K. P., 134
 REUTTER, W., 145
 ROUZAUD, D., 187
 RYDEN, P., 257

 SAKURAI, T., 59
 SALAMOŃCZYK, G. M., 67
 SELVENDRAN, R. R., 87, 257
 SHASHKOV, A. S., 11, 27
 SHIBAEV, V. N., 11, 27
 SIEMSEN, L., 225
 SINAÏ, P., 39, 157, 169, 187, 303
 SLAGHEK, T. M., 75
 SONNINO, S., 51

 TATARKO, M., 247
 TORGOV, V. I., 11, 27
 TORRI, G., 157

 VAN BOOM, J. H., c1
 VAN DEN ELST, H., c1
 VAN VLIET, M. J., 75
 VEENEMAN, G. H., c1
 Vliegenthart, J. F. G., 75

 WILKINSON, S. G., 111, 117, 123, 295

 ZISER, L., 145



CARBOHYDRATE RESEARCH, VOL. 195 (1989/1990)

SUBJECT INDEX

- Access to [6-³H]-labelled L-galactose and L-fucose, an economical, 145
- N*-Acetyl- α -neuraminosyl-galactose disaccharide derivatives, stereoselective synthesis of, using anomeric *S*-glycosyl xanthates, 303
- N*-Acetylmuramyl dipeptide, dimer of 6-*O*-acylated, and analog, synthesis and immunoadjuvant activity, 59
- α -*N*-Acetylneuraminic acid-(2 \rightarrow 6)-galactose, facile synthesis, 134
- Alkyl-substituted benzoquinones formed on the degradation of pectic acid with alkali, 131
- D-Allose, 3-amino-2,3,6-trideoxy-2-fluoro, synthesis, 225
- 2-Amino-2-deoxy-L-glucose, structure of the putative O-antigen containing, in the reference strain for *Pseudomonas cepacia* serogroup O1, 295
- Asparagine-linked sugar chains of bovine brain ribonuclease, 273
- 1-(Azidoaryl)amido- and 1-(azidoaryl)thio-1-deoxy-D-fructose analogs, preparation of, 150
- 6-Benzylamino-6-deoxy-1,2:3,4-di-*O*-isopropylidene-L-glycero- α -D-galacto-heptopyranuronitrile, conformation of the six- and five-membered rings in, 1
- Binding of maltose to *Rhizopus niveus* glucoamylase in the pH range where the catalytic carboxyl groups are ionized, 138
- Biodegradation of oxidized regenerated cellulose, 247
- Bovine brain ribonuclease, structure of carbohydrate of, 273
- Capsular polysaccharide of *Streptococcus pneumoniae* types 6A and 6B, synthesis of a selectively protected trisaccharide building block of the, 75
- Carboxyl groups, ionized, and the binding of maltose to *Rhizopus niveus* glucoamylase, 138
- Cellulose, oxidized regenerated, biodegradation of, 247
- Cell-wall component of *Haemophilus (Actinobacillus) pleuropneumoniae* serotype 2, solid-phase synthesis of a, c1
- Cell-wall polysaccharides of the parchment layers of the pods of mature runner beans, structural features of the, 87
- Conformation of the pentasaccharide corresponding to the binding site of heparin for Antithrombin III, 69
- Conformation of the six- and five-membered rings in 6-benzylamino-6-deoxy-1,2:3,4-di-*O*-isopropylidene-L-glycero- α -D-galacto-heptopyranuronitrile, 1
- Conformations of branched trisaccharide methyl β -glycosides that contain a 2,3-disubstituted galactose residue, nuclear Overhauser effects and, 27
- Conformations of branched trisaccharide methyl β -glycosides that contain a 3,4-disubstituted galactose residue, nuclear Overhauser effects and, 11
- Conformer populations of L-iduronic acid residues in glycosaminoglycan sequences, 157
- Core components from *Rhizobium leguminosarum* biovar *phaseoli* CE3 and two of its symbiotic mutants, CE109 and CE309, the structures of the lipopolysaccharide, 101
- Crystal structure and molecular modelling of "methyl C-gentiobioside", 187
- L-Daunosamine, (*R*)-2-fluoro, synthesis, 225
- Degradation of pectic acid with alkali, formation of alkyl-substituted benzoquinones on the, 131
- Dermatan sulfate, synthesis of disaccharide fragments of, 39
- 2,2'-*O*-[2,2'-Diacetamido-2,3,2',3'-tetra-deoxy-6,6'-di-*O*-(2-tetradecylhexadecanoyl)- α,α' -trehalos-3,3'-diyl]bis(*N*-D-lactoyl-L-alanyl-D-isoglutamine, synthesis and immunoadjuvant activity, 59
- Dilactone derivative of GD1b ganglioside, synthesis, structure, and conformation of the, 51
- Disaccharide derivatives, a stereoselective synthesis of *N*-acetyl- α -neuraminosyl-galactose, 303
- Disaccharide fragments of dermatan sulfate, synthesis of, 39
- Enantiomeric 1,4,5,6-tetra-*O*-benzyl-myoinositols, synthesis of the, 67
- D-Fructose analogs, preparation of 1-(azidoaryl)amido- and 1-(azidoaryl)thio-1-deoxy-, 150

- L-Fucose, an economical access to [6-³H]-labelled L-galactose and, 145
- L-Galactose and L-fucose, an economical access to [6-³H]-labelled, 145
- Ganglioside, synthesis, structure, and conformation of the dilactone derivative of GD1b, 51
- Glycosaminoglycan sequences, conformer populations of L-iduronic acid residues in, 157
- Glycosphingolipids of the molluseries, total synthesis, 199
- Glycosyl ceramides of the molluseries, total synthesis, 199
- Haemophilus (Actinobacillus) pleuropneumoniae* serotype 2, solid-phase synthesis of a cell-wall component of, c1
- Heparin, conformation of the pentasaccharide corresponding to the binding site for Antithrombin III in, 169
- L-Iduronic acid residues in glycosaminoglycan sequences, conformer populations of, 157
- Immunoadjuvant activity of a dimer of 6-O-acylated *N*-acetylmuramyl dipeptide, and analog, 59
- Inositols, synthesis of the enantiomeric 1,4,5,6-tetra-*O*-benzyl-*myo*-, 67
- [6-³H]-Labelled L-galactose and L-fucose, an economical access to, 145
- Lipopolysaccharide core components from *Rhizobium leguminosarum* biovar *phaseoli* CE3 and two of its symbiotic mutants, CE109 and CE309, the structure of the, 101
- Lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O18, structure of a neutral polymer isolated from the, 111
- Lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O24, structure of the O-specific galactan from the, 117
- Lipopolysaccharides of the reference strains for *Pseudomonas cepacia* serogroups O3 and O5, structure of the O-specific polymers from the, 123
- "Methyl C-gentiobioside", crystal structure and molecular modelling of, 187
- Molecular modelling and crystal structure of "methyl C-gentiobioside", 187
- Mollu-series glycosyl ceramides, α -D-Manp-(1 \rightarrow 3)- β -D-Manp-(1 \rightarrow 4)- β -D-Glcp-(1 \rightarrow 1)-Cer and α -D-Manp-(1 \rightarrow 3)-[β -D-Xylp-(1 \rightarrow 2)]- β -D-Manp-(1 \rightarrow 4)- β -D-Glcp-(1 \rightarrow 1)-Cer, total synthesis, 199
- Nuclear Overhauser effects and conformations of branched trisaccharide methyl β -glycosides that contain a 2,3-disubstituted galactose residue, 27
- Nuclear Overhauser effects and conformations of branched trisaccharide methyl β -glycosides that contain a 3,4-disubstituted galactose residue, 11
- Parchment layers of the pods of mature runner beans, structural features of the cell-wall polysaccharides of the, 87
- Pectic acid, formation of alkyl-substituted benzoquinones on the degradation with alkali of, 131
- Pentasaccharide corresponding to the binding site of heparin for Antithrombin III, conformation of the, 169
- Polysaccharides of potato (*Solanum tuberosum*), structural features of cell-wall, 257
- Potato (*Solanum tuberosum*), structural features of cell-wall polysaccharides of, 257
- Preparation of 1-(azidoaryl)amido- and 1-(azidoaryl)thio-1-deoxy-D-fructose analogs, 150
- Pseudomonas cepacia* serogroups O3 and O5, structures of the O-specific polymers from the lipopolysaccharides of the reference strains for, 123
- Pseudomonas cepacia* serogroup O1, structure of the putative O-antigen containing 2-amino-2-deoxy-L-glucose in the reference strain for, 295
- Rhizobium leguminosarum* biovar *phaseoli* CE3 and two of its symbiotic mutants, CE109 and CE309, the structures of the lipopolysaccharide core components from, 101
- Rhizopus niveus* glucoamylase in the pH range where the catalytic carboxyl groups are ionized, binding of maltose to, 138
- Ribonuclease, structure of carbohydrate of bovine brain, 273
- D-Ristosamine, (*R*)-2-fluoro, synthesis, 225
- Runner beans, structural features of the cell-wall polysaccharides of the parchment layers of the pods of mature, 87
- Serratia marcescens* serogroup O18, structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain for, 111
- Serratia marcescens* serogroup O24, structure of the O-specific galactan from the lipopolysaccharide of the reference strain for, 117
- 6-O-Sialylation following stannylene activation of an unprotected D-galactopyranoside, 134
- Solid-phase synthesis of a cell-wall component of *Haemophilus (Actinobacillus) pleuropneumoniae* serotype 2, c1
- Stereoselective synthesis of *N*-acetyl- α -neuraminosyl-galactose disaccharide derivatives, using anomeric *S*-glycosyl xanthates, 303

- Streptococcus pneumoniae* types 6A and 6B, synthesis of a selectively protected trisaccharide building block of the capsular polysaccharide of, 75
- Structural features of cell-wall polysaccharides of potato (*Solanum tuberosum*), 257
- Structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O18, 111
- Structure of 6-benzylamino-6-deoxy-1,2:3,4-di-O-isopropylidene-L-glycero- α -D-galacto-heptopyranurononitrile: conformation of the six- and five-membered rings, 1
- Structure of the putative O-antigen containing 2-amino-2-deoxy-L-glucose in the reference strain for *Pseudomonas cepacia* serogroup O1, 295
- Structure of the O-specific galactan from the lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O24, 117
- Structures of the O-specific polymers from the lipopolysaccharides of the reference strains for *Pseudomonas cepacia* serogroups O3 and O5, 123
- Synthesis of a selectively protected trisaccharide building block of the capsular polysaccharide of *Streptococcus pneumoniae* types 6A and 6B, 75
- Synthesis of disaccharide fragments of dermatan sulfate, 39
- Synthesis of the enantiomeric 1,4,5,6-tetra-O-benzyl-*myo*-inositols, 67
- Synthesis, structure, and conformation of the dilactone derivative of GD1b ganglioside, 51
- L-Talose, 3-amino-2,3,6-trideoxy-2-fluoro, synthesis, 225
- Trisaccharide methyl β -glycosides that contain a 2,3-disubstituted galactose residue, nuclear Overhauser effects and conformations of, 27
- Trisaccharide methyl β -glycosides that contain a 3,4-disubstituted galactose residue, nuclear Overhauser effects and conformations of branched, 11



